

Sierra Vista
Water Assoc.

30/3E/10G

1240 N. 100° E
of Center Sec 10

7. Well Log:	Material	Thickness	Depth to Bottom
	Dry sand	195 feet	195 feet
	Silty Blue sand & water	15	210
	Blue clay	50	260
	Fine sand & water	5	265
	Coarse sand & water	10	285

8. Well Data:

Elev = 210(±10) Gaud
Total depth of well is 285 feet

Water standing at 195 feet

6 inch diameter well

Cased to a depth of 275 feet

Top of screen set at 275 feet, screen length of 10 feet
No. 20 Stainless steel screen.

Driller estimates well will produce 30 to 50 gallons
per minute with little or no draw-down.

9. Driller:

A.G. Conkel


Box 216A

Camano Island, Wash. Phone, 629-3888

10. All products and equipment to be used shall be subject to
approval by the owner before installation.

G 122736

4



WASHINGTON STATE
DEPARTMENT OF
ECOLOGY

Well Tagging Form

Unique Well Tag No: _____

AGA680

RECORD VERIFICATION (check ☒ one)

- ☐ Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you)
- ☐ Verification inconclusive
- ☐ Well Report not available

See #1 (well #1)

WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT

First Name SIERRA VISTA ASSOC

Last Name _____

Street Address 78970 - P

City _____ State _____

LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT

Well Address 7th LOT - WEST ~~SIDE~~ SIDE ~~OF~~ PAST KAREN WAY
ON E CAMANO DR.

City _____ County _____

T _____ N R _____ W M Sec _____ 1/4 of the _____

FOR AGENCY USE ONLY

Latitude _____

Longitude _____

Elevation at land surface _____ feet/meters (circle one)

Additional information, if available:

- ☐ Location marked on topographic map (please attach)
- ☐ Location marked on air photo (please attach)

- ☐ GPS
- ☐ Topographic Map
- ☐ Survey
- ☐ Computer generated
- ☐ Digital Altimeter
- ☐ Topographic Map
- ☐ Other _____

FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)

LARGE P.H (OFF WHITE) - HEAD INSIDE, ADJ. TO 2 CONC.

RES. CHAIN LINK FENCE - ACCESS BY DIRT ROAD (UNMARKED)

Location of Well identification Tag

Can

Is supplemental tag needed for ease of identifying well?

☐

Yes

☒

No

Where was tag placed?

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Scale 1 24,000 (1"=2,000')

Indicate the location of the well within the Section by drawing a dot at that point.

SECTION _____

Comments

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Permit Right # _____ Date Issued _____

One

Application

Permit

Certificate

Claim

Exempt

File Original and First Copy with
Department of Ecology
Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

Application No.

Permit No.

(1) OWNER: Name Sierra Vista Water Assoc. Address Stanley R. Watson, 97402 E. Greenlake Dr. N., Seattle, W. 98115

(2) LOCATION OF WELL: County ISLAND Sec. 10 T. 30 N. R. 38 W.

Bearing and distance from section or subdivision corner 1240 FEET N. + 100 FEET E. of CENTER SEC. 10

(3) PROPOSED USE: Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one) _____
New well ☒ Method: Dug ☐ Bored ☐
Deepened ☐ Cable ☐ Driven ☐
Reconditioned ☐ Rotary ☐ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 250 ft. Depth of completed well 250 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6 " Diam. from 0 ft. to 240 ft.
Threaded ☐ " Diam. from _____ ft. to _____ ft.
Welded ☒ " Diam. from _____ ft. to _____ ft.

Perforations: Yes ☐ No ☒

Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: Yes ☒ No ☐

Manufacturer's Name Johnson
Type SS Model No. 304
Diam. 6 Slot size 20 from 240 ft. to 250 ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes ☐ No ☒ Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes ☒ No ☐ To what depth? 15 ft.
Material used in seal benzene
Did any strata contain unusable water? Yes ☐ No ☒
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____
Type: _____ H.P. _____

(8) WATER LEVELS: Land-surface elevation above mean sea level 190 ft.
Static level 191 ft. below top of well Date 3/5/69
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☒ No ☐ If yes, by whom? Driller
Yield: 130 gal./min. with _____ ft. drawdown after 4 hrs.
" not ample "room for probe" " " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test 3/5/69

Ball test _____ gal./min. with _____ ft. drawdown after _____ hrs.

Artesian flow _____ g.p.m. Date _____

Temperature of water 50 Was a chemical analysis made? Yes ☐ No ☒

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation

MATERIAL	FROM	TO
Sandy clay	0	10
dry sand	10	65
Sand + gravel	65	175
Silty sand	175	185
blue clay	185	236
Fine sand + water	236	243
Coarse sand	243	250

Work started Feb 20 1969, Completed Mar 5 1969

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Kunkel Well Drilling
(Person, firm, or corporation) (Type or print)

Address 797 N. 5th St. Camano Is. Wa 98282

(Signed) A. S. Kunkel
(Type or print)

License No. 0247 Date Aug 15 1969